



Data-driven modelling of an industrial anaerobic digestion reactor

Ramin, Pedram; Junicke, Helena; Ramin, Elham; Flores-Alsina, Xavier; Gernaey, Krist V.

Publication date:
2019

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Ramin, P., Junicke, H., Ramin, E., Flores-Alsina, X., & Gernaey, K. V. (2019). *Data-driven modelling of an industrial anaerobic digestion reactor*. Abstract from 10th IWA Symposium on Modelling and Integrated Assessment, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Conference title:
10th IWA Symposium on Modelling and Integrated Assessment (Watermatex)

Conference scope:
International

Conference date:
1-4 September 2019

Conference place:
Copenhagen, DK

Conference URL:
<https://www.conferencemanager.dk/watermatex2019/home.html>

Talk title:
Data-driven modelling of an industrial anaerobic digestion reactor

Authors:
Pedram Ramin, Helena Junicke, Elham Ramin, Xavier Flores-Alsina, Krist V. Gernaey

Abstract:
This study presents model simulations of an industrial anaerobic digester using two-data driven models, Random Forest and Cascade-forward Neural Network. The two models are compared with a detailed first mechanistic multi-scale model in terms of prediction of methane production and volatile fatty acids formation. Faster simulation times (3E4 times) and the need for only a limited number of input variables (6 instead of 35) are found as key advantages of data-driven models over their more complex mechanistic counterparts, while maintaining similar prediction capabilities. The model will be later used for rapid scenario analysis under different loading and operational conditions.